

Uitleg code samenstelling:

H72/15SL

72 = 72 mm hoog

15 = 1500 mm lang

SL = verbrede uitvoering

CODE	DRAAGVERMOGEN			PUNT	LENGTE	BREEDTE	BREEDTE	GEWICHT PER SET
	BIJ WIELBASIS			BELASTING	MM	INT. MM	UITW MM	
	750	1000	1250					
<b>H30/10 S</b>	1180	1575	1800	600	1000	200	200	8
<b>H30/10-2</b>	1180	1575	1800	600	1000	400	400	16
<b>H30/10-3</b>	1180	1575	1800	600	1000	600	600	24
<b>H30/10-4</b>	1180	1575	1800	600	1000	800	800	32
<b>H30/15</b>	1575	1800	1800	600	1500	200	200	10
<b>H30/15-2</b>	1575	1800	1800	600	1500	400	400	20
<b>H30/15-3</b>	1575	1800	1800	600	1500	600	600	30
<b>H30/15-4</b>	1575	1800	1800	600	1500	800	800	40
<b>H30/20</b>	930	1160	1160	595	2000	200	200	30
<b>H30/20-2</b>	930	1160	1160	595	2000	400	400	30
<b>H30/20-4</b>	775	930	1160	445	2000	800	800	38
<b>H30/25-S</b>	565	650	755	290	2500	200	200	16
<b>H30/25-2</b>	650	755	755	350	2500	400	400	34
<b>H30/30-S</b>	490	550	550	290	3000	200	200	20
<b>H30/30-2</b>	490	550	550	290	3000	400	400	40
<b>H 60/15S</b>	1750	1750	1750	1750	1500	300	300	19
<b>H 60/20S</b>	1700	1700	1700	1500	2000	300	300	25
<b>H 60/25S</b>	1650	1700	1700	1500	2500	300	300	30
<b>H 60/30S</b>	1250	1405	1610	1430	3000	300	300	36
<b>H 60/35S</b>	990	1090	1215	1220	3500	300	300	41
<b>H 72/15SL</b>	1685	1685	1685	1685	1500	450	510	24
<b>H 72/19S</b>	1600	1600	1600	1265	1900	250	310	20
<b>H 72/20SL</b>	1600	1600	1600	1265	2000	450	510	30
<b>H 72/25SL</b>	1360	1590	1600	1010	2500	450	510	36
<b>H 72/30SL</b>	1050	1180	1350	840	3000	450	510	43
<b>H 72/35SL</b>	849	936	1036	715	3500	450	510	50
<b>H 100/20S</b>	3000	3000	3000	1500	2000	300	370	36
<b>H 100/25S</b>	3000	3000	3000	1500	2500	300	370	41
<b>H 100/30S</b>	2150	2450	2850	1440	3000	300	370	49
<b>H 100/32S</b>	1800	2100	2450	1340	3200	300	370	51
<b>H 100/35S</b>	1700	1900	2150	1235	3500	300	370	55
<b>H 100/40S</b>	1400	1530	1680	1230	4000	300	370	62

CODE	DRAAGVERMOGEN			PUNT	LENGTE	BREEDTE	BREEDTE	GEWICHT PER SET
	BIJ WIELBASIS			BELASTING	MM	INT. MM	UITW MM	
	750	1000	1250					
<b>H 110/25S</b>	3600	3600	3600	2230	2500	305	385	41
<b>H 110/30S</b>	2790	3190	3450	1860	3000	305	385	49
<b>H 110/32S</b>	2530	2860	3280	1745	3200	305	385	51
<b>H 110/35S</b>	2200	2460	2770	1590	3500	305	385	55
<b>H 110/40S</b>	1830	2000	2200	1590	4000	305	385	62
<b>H 125/25S</b>	4110	4110	4110	2055	2500	320	400	50
<b>H 125/30S</b>	3900	3900	3900	2055	3000	320	400	61
<b>H 125/32S</b>	3600	3900	3900	2055	3200	320	400	65
<b>H 125/35S</b>	3200	3500	3900	2055	3500	320	400	69
<b>H 125/40S</b>	2600	2800	3100	2050	4000	320	400	80
<b>H 125/25SL</b>	4110	4110	4110	2055	2500	350	430	51
<b>H 125/30SL</b>	3900	3900	3900	2055	3000	350	430	62
<b>H 125/32SL</b>	3600	3900	3900	2055	3200	350	430	66
<b>H 125/35SL</b>	3200	3500	3900	2055	3500	350	430	71
<b>H 125/40SL</b>	2600	2800	3100	2050	4000	350	430	81

CODE	DRAAGVERMOGEN			PUNT	LENGTE	BREEDTE	BREEDTE	GEWICHT PER SET
	BIJ WIELBASIS			BELASTING	MM	INT. MM	UITW MM	
	750	1000	1250					
<b>H 135/30S</b>	4890	6500	7200	3285	3000	310	390	71
<b>H 135/32S</b>	4400	5700	6800	3075	3200	310	390	76
<b>H 135/35S</b>	3890	4800	6400	2810	3500	310	390	81
<b>H 135/40S</b>	3200	3800	4800	2805	4000	310	390	94
<b>H 135/45S</b>	2700	3200	3800	2490	4500	310	390	105
<b>H 135/30SL</b>	4890	6500	7200	3285	3000	340	420	74
<b>H 135/32SL</b>	4400	5700	6800	3075	3200	340	420	78
<b>H 135/35SL</b>	3890	4800	6400	2810	3500	340	420	84
<b>H 135/40SL</b>	3200	3800	4800	2805	4000	340	420	98
<b>H 135/45SL</b>	2700	3200	3800	2490	4500	340	420	108
<b>H 135/30SL1</b>	4890	6500	7200	3285	3000	390	470	77
<b>H 135/32SL1</b>	4400	5700	6800	3075	3200	390	470	81
<b>H 135/35SL1</b>	3890	4800	6400	2810	3500	390	470	87
<b>H 135/40SL1</b>	3200	3800	4800	2805	4000	390	470	101
<b>H 135/45SL1</b>	2700	3200	3800	2490	4500	390	470	112

CODE	DRAAGVERMOGEN			PUNT	LENGTE	BREEDTE	BREEDTE	GEWICHT PER SET
	BIJ WIELBASIS			BELASTING	MM	INT. MM	UITW MM	
	750	1000	1250					
H 175/35S	6960	7955	8719	4240	3500	400	480	99
H 175/40S	5520	6135	6900	4230	4000	400	480	112
H 175/45S	4555	4970	5465	3755	4500	400	480	123
H 175/50S	3860	4155	4505	3370	5000	400	480	135

H 175/35SL	6960	7955	8719	4240	3500	500	580	108
H 175/40SL	5520	6135	6900	4230	4000	500	580	123
H 175/45SL	4555	4970	5465	3755	4500	500	580	135
H 175/50SL	3860	4155	4505	3370	5000	500	580	148
H 190/35S	9700	10450	10450	5865	3500	500	610	132
H 190/40S	7700	8580	9650	5855	4000	500	610	152
H 190/45S	6400	6980	7680	5200	4500	500	610	167
H 190/50S	5450	5870	6360	4675	5000	500	610	184

H 220/40S	12000	12000	12000	8350	4000	500	620	169
H 220/45S	9600	12000	12000	7415	4500	500	620	186
H 220/50S	8175	8800	9535	6670	5000	500	620	206

**Oprijplanken Nederland  
Onderdeel van TTN Ederveen B.V.**

**Wij zijn telefonisch te bereiken op nummer: 0318-573783  
Faxen kunnen verstuurd worden naar: 0318-573076**

**Ons bezoekadres is:  
De Stroet 4B  
6741 PT Lunteren**